

# Erythromycin

Erythromycin is a type of medicine called a macrolide antibiotic. The active ingredient erythromycin works by preventing bacteria from producing proteins that are essential to them.

**Price: 48.50 €\***

[Buy Online](#)

The active ingredient is [Erythromycin](#)

Categories: [Antibiotics](#),



Erythromycin is perfect for anyone looking for the treatment of Antibiotics. Erythromycin is one of the most sought-after formulas having the Erythromycin as a main component. Erythromycin is a key structural component in the effective formula of Antibiotics. Antibiotics can be well treated with Erythromycin, which provides support to individual health. Purity, potency and fast absorption can be yours with Erythromycin medicine.

Erythromycin is involved in several biochemical reactions and comes ready to fight Antibiotics.

Erythromycin is for those patients who require effective and high quality treatment for Antibiotics. Ideal for the treatment of Antibiotics, Erythromycin can be bought at very attractive price - 48.50 €.

Product information What is Erythromycin? What is Erythromycin used for? How to use Erythromycin  
Dosage Side effects When not to use Erythromycin Pregnancy/driving ability/alcohol

## What is Erythromycin?

Erythromycin is a type of medicine called a macrolide antibiotic. The active ingredient erythromycin works by preventing bacteria from producing proteins that are essential to them. Without these proteins the bacteria cannot grow, replicate and increase in numbers. This treats the bacterial infection. Erythromycin is a prescription-only medicine.

## What is Erythromycin used for?

Erythromycin is prescribed as a course to treat a wide variety of bacterial infections, including respiratory infections (pneumonia, acute bronchitis, sinus infection, Legionnaires' disease), STDs such as chlamydia and gonorrhoea, and skin infections such as acne, boils and rosacea, a condition where red patches appear on the cheeks and nose, sometimes accompanied by bumps, spots and veins that are visible in the skin as red lines.

## How to use Erythromycin

Erythromycin is available in tablet or granule form. Erythromycin tablets should be taken with water, preferably on an empty stomach one hour before or two hours after food. Erythromycin granules should be

dissolved before drinking. Empty the contents of one sachet in half a glass of water, stir well and drink the mixture right away. Unlike the tablets, the granules should be taken with or directly after meals. Make sure you finish the entire course. Stopping early could cause the infection to return. Erythromycin is usually prescribed as a one to two-week course. Conditions such as rosacea may require longer treatment.

## Dosage

Unless otherwise prescribed by the doctor, the usual dose for most infections is:

Adults and children aged 15 and above: 2 to 4 grams a day spread out over the day. The doctor may prescribe an alternative dose for other conditions and children. Always follow the prescription exactly - never take more or less than the doctor recommends. Read the package leaflet closely before use.

## Side effects

Erythromycin may cause side effects. The following are some of the side effects that are known to be associated with this medicine:

Gastrointestinal symptoms such as nausea, vomiting, stomach ache, diarrhoea, flatulence, constipation; Fungal infection of the mouth, vagina or other mucous membranes; Skin rash. Consult a doctor if these or other side effects are severe. For more information on possible side effects, see the package leaflet.

## When not to use Erythromycin

Erythromycin is not suitable for everyone and should not be used if:

You are allergic to other macrolide antibiotics, the active ingredient erythromycin or any other ingredient in this medicine; You have a severe liver condition. Erythromycin may interact with other medicines. Therefore, it is important to tell the doctor what medicines or nutritional supplements you are currently taking. The doctor will have a list of medicines that you should avoid mixing it with. You should also consult the doctor on the use of Erythromycin if you have health problems.

## Pregnancy/driving ability/alcohol

With your doctor's approval, Erythromycin can be used during pregnancy and while breastfeeding. Erythromycin does not, in principle, affect your reaction time. In the unlikely event that you do feel dizzy or sleepy, you should avoid driving. Erythromycin does not interact with alcohol.

## Related Products

- [Amoxil \(Amoxicillin\)](#)
- [Clarithromycin](#)
- [Zithromax \(Azithromycin\)](#)
- [Co-Amoxiclav](#)

Search keywords for Erythromycin:

[buy Antibiotics treatments in United Kingdom](#), [Medications for Antibiotics](#), [medicines for Antibiotics in Manchester](#), [Erythromycin medications in Glasgow](#), [buy Erythromycin online in Wales](#), [Northern Ireland](#)

antibiotics online, medicines for Antibiotics in Dundee, Erythromycin Antibiotics treatments in Newport, Erythromycin medications in Swansea, buy Erythromycin in Scotland, buy Erythromycin online in Aberdeen, Erythromycin Antibiotics treatments in Birmingham, buy Erythromycin in Sheffield, order Ibuprofen 200 mg 40 tabl. online, buy Erythromycin medicines online, order Erythromycin online in United Kingdom,

\* prices on the website can be different.